

10 Gigabit optical module transmission distance 80km



Overview

The 10G-SFP-80 is a 10GBASE-ZR SFP+ module for 80 km links over single-mode fiber in carrier and wide-area networks. It runs at 1550 nm with a 23 dB link budget and supports rates from 1. ta rate of 10Gbps and 80km transmission distance with SMF. It is designed to deploy in the DWDM net iant according to International Safety Standard IEC-60825. This article explores the technical capabilities, applications, and advantages of this. GIGALIGHT's 10G CWDM SFP+ optical transceiver modules are widely used in 10G Ethernet, Optical Transport Network (OTN OTU2e) and 10G CPRI base station pre-transmission, and are compatible with Synchronous Optical Networks (SONET OC-192 / SDH STM-64) and 10G Fibre Channel, with transmission. A 10Gbps 80KM SFP+ Optical Transceiver Module is a high-speed optical module used for transmitting and receiving data over fiber optic networks. If your network requires long-distance point-to-point connectivity—such as metro links, inter-data-center connections, or telecom access layers—SFP+ 10G ZR is often the only viable 10G solution without. Hilink 10G DWDM XFP ZR optical transceivers are designed for use in 10-Gigabit Ethernet links up to 80km over Single Mode fiber.

Article Content

Reach Further, Faster: Your Ultimate Guide to Long-Range 10G

Long-range 10G optical modules enable high-speed data over distances up to 80km. Learn about types, specs, compatibility, and choosing the right module.

10GBASE-ZR SFP+ 80km DOM | €80.33 | EDGE Optical Solutions

Do 10GBASE-ZR transceivers require an optical attenuator at short reach? Often, yes. The 10G-SFP-80 transmits at 0 to +5 dBm for 80 km reach, so on short spans the received power can exceed the

Small Form-factor Pluggable

A 10 Gigabit Ethernet XFP transceiver, top, and a SFP+ transceiver, bottom The SFP+ (enhanced small form-factor pluggable) is an enhanced version of the SFP that supports data rates up to 16 Gbit/s.

Gigabit Ethernet

In computer networking, Gigabit Ethernet (GbE or 1 GigE) is the transmission of Ethernet frames at a rate of a gigabit per second. The most popular variant,

What is SFP-10G-SR?

10G stands for its maximum transmission rate of 10.3 Gbps. It is suitable for 10 Gigabit Ethernet. 10G optical networks have become popular in telecommunication networks. 10G switches are also being

10G SFP+ CWDM 10□80km Optical Module (Industrial

GIGALIGHT's 10G CWDM SFP+ optical transceiver modules are widely used in 10G Ethernet, Optical Transport Network (OTN OTU2e) and 10G CPRI base station

10G BiDi SFP+ TX1550nm/RX1490nm 70KM LC Optical Transceiver

Q10: What is the maximum transmission distance of ETU-Link optical modules? A10: Our modules support from 100m (SR multimode) up to 120km (ZR single-mode), with specific models optimized for

10G SFP+ DWDM 80km 10G DWDM C-band Tunable Transceivers

QSFPTEK offers 10G SFP+ DWDM 80km transceivers that are fully compatible with Huawei, Cisco, Juniper, Arista, etc. Get 10G SFP+ DWDM price and datasheet now.

The Ultimate Guide to ZTE SFP Module Distance and Wavelength

A deep understanding of ZTE SFP module distance and wavelength specs is a prerequisite for designing reliable, scalable, and high-performance networks. From the cost-effective 850 nm SR

100 Gigabit Ethernet

100 Gigabit Ethernet 40 Gigabit Ethernet (40GbE) and 100 Gigabit Ethernet (100GbE) are groups of computer networking technologies for transmitting Ethernet frames at rates of 40 and 100 gigabits

Wholesale Optical Transceivers Module | 100G QSFP28, 40G QSFP

Shop high-speed optical transceivers from Unitekfiber. We offer 100% compatible 40G, 100G, and 400G QSFP-DD modules for data centers. Expert technical support & wholesale pricing.

XFP transceiver

XFP modules use an LC fiber connector type to achieve higher density. Principal applications include 10 Gigabit Ethernet, 10 Gbit/s Fibre Channel, synchronous optical networking (SONET) at OC-192

SFP+ 10G ZR Selection Guide: 80km Single Mode Transceiver

An SFP+ 10G ZR transceiver is a long-reach 10GbE optical module designed to deliver stable point-to-point transmission over up to 80km of single-mode fiber. It fills the distance gap where standard 10G

Ubiquiti Compatible XGSPON ONU SFP+ 1270nm-TX/1577nm-RX

Overview The XGS-SFP-ONT-MAC-I is an SFP+ transceiver module engineered for 10-Gigabit capable symmetric passive optical network (XGS-PON) systems. It utilizes bidirectional transmission over a

Enabling Long-Reach 10G Connectivity: The 80km

The CC-PII448L-xD 10Gb/s SFP+ Optical Transceiver Module, designed for transmission distances up to 80 kilometers, addresses this need by

Cisco SFP and SFP+ Transceiver Module Installation Notes

This installation note provides the installation instructions for the Cisco small form-factor pluggable (SFP) and SFP+ transceiver modules. These transceiver modules are hot-swappable

Optic Modules Datasheet

Features and Benefits The following table lists the different pluggable optic modules and supported platforms, along with the technical specifications for each.

Gigabit single-mode single-core fiber optic module

In addition, its transmission rate in optical fiber storage system (SAN) is 2Gbps, 4Gbps and 8Gbps; 3. Transmission distance Optical signals are transmitted directly without repeater

SFP vs SFP+ vs SFP28 vs QSFP+ vs QSFP28 vs QSFP-DD vs

Therefore, SFP28 can function with SFP+ optics, but the speed will be limited to 10 Gbit/s. If a network switch's SFP28 port can be configured for 10G transmission, SFP+ modules can

HTF DWDM equipment, OTN Solution, QSFP28 OSFP

HTFuture offers industry-leading fiber optic products and WDM system solutions with global recognition for excellence and innovation.

XGSPON ONU SFP+ 1270nm-TX/1577nm-RX 9.953G-TX/9.953G-RX

Overview The XGS-SFP-ONT-MAC-I is a high-performance optical transceiver module designed for 10-Gigabit-capable passive optical network (XGS-PON) deployments. It functions as an integrated

H3CSFP-XG-LX-SM1310-S 10G SFP+ Multi-mode Optical Module

SFP+ optical module is a new generation of 10 Gigabit optical modules. Compliant with the ANSI T11 protocol, it supports 10 Gigabit Ethernet (10GbE) applications.

10G SFP+ 80 km DWDM Optical Transceiver Datasheet

10G SFP+ 80 km DWDM Optical Transceiver Datasheet Overview The T1-SFP-10G-DWDM80-Cxx is a high performance, cost effective module supporting data rate of 10Gbps and 80km transmission

10G SFP+ CWDM Transceivers – LC 80km

Transmission Distance: Up to 80 km, reducing the need for additional signal boosters or repeaters. Data Rate: 10 Gbps, ensuring high-speed connectivity for demanding applications.

Gigabit SFP modules with fiber optic modes » buy online now

Our SFP modules support various fiber modes, including singlemode and multimode. Depending on your requirements, you need to select your SFP module according to the desired speed (100Mbps,

10G 80km DWDM XFP

10G 80km DWDM XFP: This XFP module can transfer data at a rate of 10G and has a maximum transmission distance of 80km using dense wavelength division multiplexing (DWDM) technology.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.adicor.eu>

Email: info@adicor.eu

Phone: +33 6 48 37 92 15

Address: 12 Rue de la Paix, 75002 Paris, France

This document is for informational purposes only. Specifications subject to change without notice.

